


30.1.05
17.2.05

— PROFILE AND DECK PLAN S. S. N° 199 —


SCALE 1/8" = 1 FOOT



SCREW STEAMER. N^o. 199.

— SCALE 1/2" = 1 FOOT —

LENGTH B.P. 360.0 BREADTH EX 46.0 DEPTH MOULDED 28.6



Principal Dimensions

LENGTH AS PER RULE	358.2	✓	LENGTH AS PER RULE	358.2
HALF BREADTH	22.92	✓	HALF BREADTH	22.92
HALF GIRTH	48.25	✓	HALF GIRTH	40.29
DEPTH AS PER RULE	23.38	✓	DEPTH AS PER RULE	21.48
	100.85	✓		84.63 - 358.2 =
	7.00	✓		30314 PLATING NO.
	33.55 x N ^o FOR FRAMES	✓		

Class 100A.1

TO BE BUILT OF STEEL UNDER THE SPAR DECK RULE

Hatchway pillars per rule

Hatchway pillars per rule

Spaced 24" apart

Equipment Number 38123.29

Anchors and Chains

- 1 BOWER... EX STOCK... 40 CWT
- 242 Do Do Do 40
- 342 Do Do Do 342
- STREAM Do Do 14
- KEGGE Do Do 8
- 270 FMS OF STUD CHAIN CABLE 2 1/2 DIA
- 90 Do STREAM CHAIN 1 1/2
- 120 Do TONLINE 15 CIR
- 2 AT 80 FMS Do Do 7
- 2 Do Do Do 7

14 DIA INCREASED ACCORDING TO LENGTHS

SHELL PLATING REDUCED 30 WHERE FLOORS ARE FITTED ON EVERY FRAME

FLOOR PLATES IN BOILER SPACE 1/20 THICK INTERDECKAL DO DO 1/20 TANK SIDE DO DO 1/20 CENTRE KEELSON DO DO 1/20 ALSO ALL ANGLE BARS IN BOILER SPACE 3/20 THICK EXCEPT THOSE ATTACHED TO SHELL

FLOOR PLATES 42 x 3/80 FITTED ON ALTERNATE FRAMES & 1/20 IN BOILER SPACE CENTRE STRAKE 60 x 3/20 FOR 1/2 LENGTH TO 7/20 IN BOILER SPACE ALL BUTTS OVERLAPPED & DOUBLE RIVETTED KEEL PLATE 36 x 1/20 INCREASED TO 1/20 FOR 1/2 LENGTH DOUBLE BUTT STRAPS STERN POST 11 x 6 1/2 STEM 11 x 6 1/2 RUBBER HEAD 6 DIA DO PILES 4 x 2